



## 51" x 98" (1300mm x 2500mm) 3 Heads Woodworking CNC Router

Item Code: CNCR-GDH3-1325S



FOB Price: **\$38,871/set**

Price: **\$33,499/set**

You Save: **\$5372.00(14%)**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 7569.8lb (3440.8kg)

[Inquire Now](#)

### Overview

#### Descriptions:

Equipped with 3 spindles, sift vacuum adsorption worktable, vacuum pump, dust collector, and servo motor.

#### Product Highlights:

- Italian spindle motor and shaft connector, Taiwan brand linear guide way, Germany screw rod, , Japanese driving system with great power, super quality control system, automatic oil lubrication system, multi heads working, automatic tool changer, to meet the requirements of complex work pieces and high speed running.
- Vacuum and absorption working table whose work piece is easy and rapid to fix. A great flow from `the` vacuum pump increases its absorption capability. The industrial production machine style meets the requirements of long running time and heavy loads.
- The process feed-in height reaches up to 220mm.

#### Typical Applications:

- Wood processing: processing of furniture spare parts.
- Abnormity cutting of plate office furniture.
- Relief sculpture processing of archaizing woodwork, free-painting door and wooden door processing.
- Special drawings processing, flower carving, cupboard doors.
- Acrylic plate processing, relief sculpture wooden lines.
- Wooden decorative spare parts processing, man-made marble, high density plate cutting.

#### Spare Parts:

Engraving tool: Please visit [http://www.sign-in-china.com/catalogs/136/Engraving\\_bits.html](http://www.sign-in-china.com/catalogs/136/Engraving_bits.html) to find suitable tools.

#### Warranty and Aftersales Service:

One year warranty for the spare parts not included.  
24-hour technical support via email or telephone.  
User-friendly English manual for machine use and maintenance.

## Details

Engraving Software	UcanCAM
Interface	connect with PC directly
Type Of Worktable	vacuum table
Repetition Precision	0.00098" (0.025mm)
Engraving Precision	0.00039" (0.01mm)
Rotational Speed Of Spindle	18000rpm
Spindle Power	6.0kw
Maximum Engraving Speed	1890" (48000mm)/min
Maximum Engraving Area	51.2" x 98.4" (1300 x 2500mm)

## Specifications

Maximum Engraving Area	51.2" x 98.4" (1,300 x 2,500mm)
Spindle Power	6.0kw invertor-driven spindle motor cooled by air.
Travel Speed (X, Y, Z tri-axial move together )	1890" (48,000mm)/min
Instruction Resolution	0.00039" (0.01mm)
Repetition Precision	0.00098" (0.025mm)
Engraving Tools	ø12.7
Rotational Speed of Spindle	18,000rpm
Height From `Gantry` to Worktable	8.7" (220mm)
CNC Controller	NCstudio system
Engraving Software	UcanCAM
Type of Driving Motor	Servo motor
Type of Worktable	Vacuum table
Interface	Connect with PC directly
Instruction Formats	G code, HPGL, 3D
Power Consumption	1200W
Power Supply	380V/50-60Hz
Cooling Method	Water-cooling
Vacuum Pump	5.5KW, 400M3/H
Vacuum Table	Three sections

Dust Collector	2.2KW/380V
Spare Parts	Cutter
Machine Dimension	126.0" x 82.7" x 78.7" (3,200 x 2,100 x 2,000mm)
Machine Weight	5842.3lb (2,650kg)
Packaging	Fumigation free package
Packaging Size	133.9" x 90.6" x 86.6" (3,400 x 2,300 x 2,200mm)
Gross Weight	6613.9 (3,000kg)

---

## Tags

[51" x 98" Woodworking CNC Router](#) [Woodworking CNC Router](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com