



63" Simple Manual Cold laminator

Item Code: FMJ-1600-HIV



FOB Price: **\$763/set**

Price: **\$700/set**

You Save: **\$63.00(8%)**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 290.4lb (132kg)

[Inquire Now](#)

Overview

FMJ-1600-HIV: 63.0" (1600mm) Simple MANUAL COLD laminator

No need to heat, no motor driving, no auto rewind shafts.

Operate by hand, single side mounting and cold laminating.

This manual cold lamintor is the first choice after printing and also one perfect equipment for all kinds of post production of ink-jet printing.

Product Highlights:

- . Fine appearance-surface treatment with plastic spraying.
- . Simple structure, no power supply, includes floor stand, economical, serviceability stably.
- . This manual cold lamintor is widely used in a lot of fields, such as ink-jet printing industry, exhibit industry, photo studio and designing institute.
- . This manual cold lamintor can be used in lamination of printed matter, important document, engineering drawing, photograph, and etc; it also can be used in cold lamination of wedding dress photograph, and etc. It can use rolling material to process the objectives, and it also can be used to make overlay film on the surface of objectives independently.

Application:

The cold laminator is used for after printing. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:

Photopaper, self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:

Comprehensive guarantee for one year.

24-hour technical support by email or calling.

User-friendly English manual for machine using and maintaining.

Details

Maximum Laminating Width	63" (1600mm)
Maximum Laminating Thickness	0.8" (20mm)
Rollers Diameter	5" (128mm)
Maximum Laminating Speed	Up to the operator
Maximum Internal Diameter of	3"
Profile	Single sided cold laminating and mounting by hand.

Surface treatment with plastic spraying. Budget cold

Specifications

laminator machine for you.

Specification

Model	FMJ-1600-HIV
Max. Laminator Width	63.0" (1600mm)
Max. Laminating Thickness	0.8" (20mm)
Laminating Speed	55.1"-157.5" (1.4-4m)/min
Roller's Diameter	5.0" (128mm)
Floor Stand	Included
Machine Weight	220.5lb (100kg)
Machine Dimension	67.0"*21.7"*36.2" (1700*550*920mm)
Package	Fumigation free package
Packing Size	76.1"*23.4"*21.5" (1934*594*545mm)
Gross Weight	291.0lb (132kg)

Tags

[63" Simple Manual Cold laminator](#) [Cold laminator](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com