



## 26" Small Single Side Hot Laminator

Item Code: FMJ-650-RS



Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 162.8lb (74kg)

[Inquire Now](#)

### Overview

#### FMJ-RS Series SINGLE SIDE HOT Laminator

Single side cold/hot laminator

Can carry out: Mounting and hot laminating, single-side laminating

The laminator is available in 25.6" (650mm) and 44.9" (1140mm).

#### Product highlights:

- . 25" (635mm) and 43" (1092mm) maximum working film width.
- . Electric model, stepless speed regulating, foot pedal switch for hands free operation.
- . Roll-to-roll supported operation to maximize productivity
- . High release silicone rollers-for easy cleaning.
- . Easy operation; the speed and temperature can be adjustable.

#### Application:

After printing finishing equipment. Available for photographic, advertising and copy shops to do lamination work, adding protective layer on books cover, photography, color pages, documents, charts, drawings, indoor advertising products, etc.

#### Applicable laminating medium:

Photopaper, PP, self adhesive PP, backlit film or transparent film.

#### Warranty and aftersales service:

One year warranty

24-hour technical support by email or calling.

User-friendly English manual for machine using and maintenance.

### Specifications

**Specification:**

Model	FMJ-650-RS
Max. laminating width	25" (635mm)
Roller's diameter	3.8" (96mm)
Max. laminating thickness	0.2" (5.5mm)
Max. heating temperature	150 degree
Laminating speed	From `0` to 118.1" (3m) per minute
Foot pedal	Yes
Forward/Reverse	Yes
Heating power	1100W
Motor power	25W
Floor stand	No
Machine color	Red or black
Power supply	AC 80V-110V, AC 110V-240V; 50Hz or 60Hz
Machine weight	92.6lb (42kg)
Machine dimension	35.4" x 15.7" x 13.8" (900 x 400 x 350mm)
Package	Fumigation free package
Packing size	44.1" x 27.2" x 20.9" (1120 x 690 x 530mm)
Gross weight	163.1lb (74kg)

---

**Tags**

[26" Small Single Side Hot Laminator](#) [Single Side Hot Laminator](#) [Small Hot Laminator](#)

---

**QA**

What is the foot pedal for?

A	<p>The function of foot pedal is for switching on or off the power during lamination process to improve working efficiency.</p> <p>Reply by <a href="#">sign-in-china</a></p>
Q	<p>what type of laminate would this machine take?</p>
A	<p>It has the function of both hot lamination and cold lamination.</p> <p>Reply by <a href="#">sign-in-china</a></p>
Q	<p>What size film core do the mandrels take?</p>
A	<p>1 inch.</p> <p>Reply by <a href="#">sign-in-china</a></p>
Q	<p>For doing double sided lamination, does the machine have 2 infrared lamps?</p>
A	<p>Yes.</p> <p>Reply by <a href="#">sign-in-china</a></p>
Q	<p>Is 2 infrared lamps one for the top and one for the bottom?</p>
A	<p>Yes, right.</p> <p>Reply by <a href="#">sign-in-china</a></p>



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email: info@sign-in-china.com Tel: +86 132 6410 3286 www.sign-in-china.com