



65" Cabinet Frame Full-auto Cold Laminating Machine

Item Code: FMJ-1660-ZJX



FOB Price: **\$3,837/set**

Price: **\$3,327/set**

You Save: **\$510.00(13%)**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 920.5lb (418.42kg)

[Inquire Now](#)

Overview

Cabinet frame full-auto self-peeling model

- . This series of cold laminator is an updated version of the FMJ-ZJ Series stand frame cold laminator.
- . Support roll-to-roll laminating to maximize the productivity.
- . The FMJ-ZJX series laminator is capable of running a wider range of media and generates higher process speeds, which make this range of machines ideal for business that are looking to build extra capacity and more versatility.
- . The machine is perfect for owners of lower-end laminators, looking to upgrade to a professional production machine.
- . Models available in 43.3" (1,100mm), 55.1" (1,400mm), 65.4" (1,660mm), 66.9" (1,700mm), 80.7" (2,050mm), 90.6" (2,300mm) model.

Product highlights:

- . Perfect designed for high volume over-laminating and mounting.
- . Support roll-to-roll laminating to maximizing the productivity.
- . This series of cold laminator is an updated version of the FMJ-ZJ Stand Frame COLD Laminator. The cabinet frame design makes the structure more stable for work..
- . This laminator is available in different width sizes: 43" (1,092.2mm), 51" (1,295.4mm), 63" (1,600.9mm), 67" (1,701.8mm), 81" (2,057.4mm), 91" (2,311.4mm).
- . 3" (76.9mm) core auto-grip rollers for easy laminating film setup.
- . 5" (127mm) bigger rollers for best quality laminating control. Maximum nip opening up to 1" (25.4mm) for a wide material range of film and substrate.
- . Easy operation panel:
 - Forward, Backward
 - Foot Pedal Control
 - Various speed adjustment
 - Emergency Stop Button
- . In order to get different thicknesses of coating on the material, the laminator is equipped with indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Highest product productivity and great value.
- . Electric model, stepless speed regulation, foot pedal switch.
- . Full-auto self-peeling model. Automatically taking up and rolling back material.

Application:

Laminations are used after printing a material It's available available for ads, photographic and copy shop to do lamination work, adding a protective layer on book covers, photography, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable laminating medium:

Photo paper, self adhesive PP, backlit film or transparent film.

Warranty and aftersales service:

Warranty for one year.

24-hour technical support by email or phone .User-friendly English manual, that explains how to operate the machine and the maintenance that it's required.

Details

Maximum Laminating Width	65" (1660mm)
Maximum Laminating Thickness	1" (25mm)
Rollers Diameter	5" (128mm)
Maximum Laminating Speed	197" (5m) / min
Maximum Internal Diameter of	3"
Profile	Full-auto cold laminator machine (Automatic take-up

roll for both printed images and back paper by one

Specifications

Specification:

person), with functions of single sided cold laminating or mounting. Updated from FMJ-ZJ series stand frame cold laminator, it adopts cabinet frame, all-metal casing shell, more stable working performance.

Model	FMJ-1660-ZJX Reducing labor cost and improving quality! High value-added products-Capable of running a wider range of media and can generate higher process speeds.
Max. laminatingwidth	65.4" (1,660mm)
Max. laminatingthickness	1.0" (25mm)
Laminating speed	0-196.9" (0-5m) / min
Forward / reverse	Yes
Foot pedal	Yes
Emergency stop	Yes
Auto rewind liner pickup	Yes
After laminating pickup	Yes
Roller's diameter	5.1" (130mm)

Media core size	3"
Motor power	90W
Power	AC 80V-110V, AC 110V-240V, 50 / 60Hz
Machine dimension	78.0" x 24.0" x 50.4"(1,980 x 610 x 1,280mm)
Machine weight	2,90kg (639.4lb)
Package	Fumigation free package
Packing size	82.3" x 27.6" x 56.3" (2,090 x 700 x 1,430mm)
Gross weight	815.7lb (370kg)

Tags

[65" Cabinet Frame Full-auto Cold Laminator Machine](#) [Cold Laminator Machine](#)

QA

Q

HI HOW MUCH IS THIS LAMINATOR & FREIGHT TO SYDNY N.S.W AUSTRALIA.

A

it is better shipped by sea, will take 28days to sydney, shipping cost is USD80

Reply by [sign-in-china](#)

Q

How does this laminator perform in installation and running?

A

This laminator is well approved by the factory that is quite experienced at the manufacture and production, so you won't be concerned about the performance.

Reply by [sign-in-china](#)



