



7.5ft Straight Pop Up Display(Graphic included)-Selflocking Connections

Item Code: SIC-PUD-SLS-332



FOB Price: **\$535/set**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 133.1lb (60.48kg)

[Inquire Now](#)

Overview

Feature:

- . 7.5ft straight pop up display with selflocking connections. Graphic is on magnetic panels to combine a whole unity.

Includes:

- . Custom printed graphics on PVC boards (Not include end caps)
- . Straight aluminum frame with selflocking connections
- . 6 magnet bars
- . Hard plastic case


Description:

This trade show display is the attractive mural backdrop for exhibit booths. The 7.5ft wide area is perfect for expansive images and messages. This pop up display is easy to assemble. Users expand the truss simply by pulling it open. The display frame then latch in place after you buckled the PC hooks. The graphic affix to brushed aluminum frames using a 3-piece magnetic bars and magnetic tape. Printed on knitted polyester with a 720dpi resolution, your custom graphic is sure to draw attention to your booth. This pop up exhibit includes a molded hard plastic case. This trade show display case features built in wheels for easy transport of booth materials. The carrying case makes this unit perfect for those users on the go.

Application:

This pop up display is suitable for various kinds of exhibition? convention?trade fairs and promotion activities.


7.5ft Straight Pop Up Display-Selflocking Connections




POP UP SYSTEM - SET UP INSTRUCTIONS




- 1, You will find all the needed components in the carrying case




- 2, Remove frame, magnetic bars and the graphic panels from the carrying case



- 3, Place the frame on the floor with hubs with graphic hangers facing up and towards you. Grasp frame scissors and lift to expand frame



- 4, Apply the bars to all vertical quadrants on front side of the frame and to each end on back side of the frame. For a double sided frame, apply the bars also on the back side of the frame.



- 5, Hang the graphic panels on the top hub-hangers letting panels attach to bars. Do the same on both end-caps of the frame.



- 6, Close the transport case, put the black table top