




## Long Cel Flat Bottom Engraving Bits

Item Code: EC-LJ Series



FOB Price: **\$3.27/pc**

Mini Order: 10 packs

Average Rating: lb (kg)

[Inquire Now](#)

### Overview

**Applicable materials:** Mezzo rilievo on rosewood and hardwood.

#### Engraving Tool Series:

Depending on market demand, we will provide a variety of cutters with different prices and quality. Below are the five series of engraving tools: N, A, AA, AAA series are made from `solid` carbide (tungsten), and the diamond series cutters.

#### 3A (AAA) Series

- The bits on this series are the most advanced tool at present, launched on May, 1st, 2009. They are made with superior materials compared with previous versions: the abrasion and break resistance are greatly improved.
- Processing techniques, AAA series are more professional, typically used for acrylic, plastic, MDF, hardwood, PC, ABS, PVC, aluminum, copper, stainless steel, etc.

#### AA Series

- Made from ultra-micron tungsten steel.
- Precise engraving tools with high quality.
- Hardness of 94 HRC with stability and super resistance to bending and rubbing superior to other solid carbide materials.
- Because of the high cost of the materials, the longest SHK of this series is 6mm. The cutting tools are very sharp, after being submitted to a patent polishing process
- Excellent engraving tools are for aluminum, steel, and stainless steel..
- Mills are excellent in processing rate and quality among acrylic, MDF and aluminum.
- AA series is the top engraving tool following the A series.. Its quality is superior to European and American engraving tools, after a three year designing, developing, and improving process.

#### A Series

- Uses K200 Micro grain solid carbide.

- A series is a cutting tool for low-cost and high-quality. Customers who have used these tools are amazed by its high efficiency and high benefits.

### N Series

- N series is a popular engraving tool that uses K10 micro grain solid carbide.
- One of the earliest models produced by our factory. Fulfilling engraving standards and outstanding sales achievements, its excellent quality and low price meet the engraving need of most customers.

### Diamond Series

- Diamond engraving tools are designed and developed to cut aluminum, brass, steel, acrylic, and marble.
- They have great hardness, abrasive resistance, and processing quality, which cannot be substituted by solid carbide.
- The price is higher than other cutters, but the quality makes it worth it.

## Details

Applicational materials	Mezzo rilievo on rosewood and hardwood
Material	ultra-micron tungsten steel

## Specifications

Model	2T (Tipsize)	2A (Full-angle)	CEL	SHK	OVL
EC-J3.200315	0.3mm	0.8" (20mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.200415	0.4mm	0.8" (20mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.200515	0.5mm	0.8" (20mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.200615	0.6mm	0.8" (20mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.250315	0.3mm	1" (25mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.250415	0.4mm	1.2" (30mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.250515	0.5mm	1.2" (30mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.300315	0.3mm	1.2" (30mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J3.300415	0.4mm	1.2" (30mm)	0.6" (15mm)	0.1" (3.175mm)	1.5" (38mm)
EC-J4200315	0.3mm	0.8" (20mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)
EC-J4200415	0.4mm	0.8" (20mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)
EC-J4200515	0.5mm	0.8" (20mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)
EC-J4250315	0.3mm	1" (25mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)
EC-J4250415	0.4mm	1" (25mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)

EC-J4250515	0.5mm	1" (25mm)	0.6" (15mm)	0.2" (4mm)	1.6" (40mm)
EC-J4300318	0.3mm	1.2" (30mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J4300418	0.4mm	1.2" (30mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J4250318	0.3mm	1" (25mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J4250418	0.4mm	1" (25mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J4300318	0.3mm	1.2" (30mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J4300418	0.4mm	1.2" (30mm)	0.7" (18mm)	0.2" (4mm)	1.6" (40mm)
EC-J6250320	0.3mm	1" (25mm)	0.8" (20mm)	0.2" (6mm)	2" (50mm)
EC-J6250430	0.4mm	1" (25mm)	0.8" (20mm)	0.2" (6mm)	2" (50mm)

EC-J6250520	0.5mm	1" (25mm)	0.8" (20mm)	0.2" (6mm)
-------------	-------	--------------	----------------	---------------

Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited  
 Email: info@sign-in-china.com Tel: +86 132 6410 3286 www.sign-in-china.com