



PH6 indoor SMD 3 in 1 full color screen

Item Code: FC-LJ- PH6SMD



FOB Price: **\$6,809/sq.m**

Mini Order: 1 roll

Average Rating: lb (kg)

[Inquire Now](#)

Overview


Description:

Indoor SMD full color LED module, patented core device is a revolutionary development in the LED industry. It features higher definition and a wider visual angle than ordinary LED screens.

Advantages:

- . Vivid color effect mixture.
- . Innovative mechanical design with cavity reflection and configuration of the RGB chips.
- . Anti-static properties.
- . The structure provides a high standard insulating environment.
- . Color consistency, clear images.
- . LED chips with bright colors and 100% epoxide resin provide the perfect display effect.

Details:



Name: Lnk-LS6-RGB-8l
Size: 768mm×576mm×120mm

Pixel pitch: 6mm
Resolution: 32×16

Details

Environment	Indoor
-------------	--------

Specifications

Specification:

Pixel pitch	0.2" (6mm)	Module size	7.6"*3.8" (192
Module resolution	32 x 16	Cabinet size	30.2" x 22.7" x
Cabinet resolution	128 x 96	Cabinet area	0.4424sq.m
Pixel density	27777dots/sq.m	Pixel configuration	1R1G1B
Red wavelength	625±2nm	Green wavelength	525±2nm
Blue wavelength	470±2nm	Colors	16777216
Best viewing distance	?236.2" (6m)	Horizontal viewing angle	120°
Max power consumption	?800 W / sq.m	Brightness	1200cd/sq.m
IP grade	IP20	Gray scale	256 levels per
Color temperature	6500K	Control method	Synchronizati
Driving method	Constant 1/8 scanning	Frame frequency	60Hz
Refresh frequency	?300Hz	Working voltage	AC220V/110V
Working temperature	0°C-- +45°C	MTBF	More than 10,

Life span	100,000 hours		
-----------	---------------	--	--



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com